

Replacing older model handle by the new Handle 2011-12



This is possible for any pack from 2009-2010.

Price of the Kit: 25 CHF (For information Snowpulse invoice 30 CHF to a customer that is asking for this update)

Time required to make the change: 5mn if trained.

Step 1: Disconnect the cylinder from the cable

1. Unscrew the cable hose
2. Unscrew the pin of release being at the end of the cable. DO NOT PULL IT



Step 2: Open completely the zip of the shoulder



Step 3: Pass the old handle completely through its hole; you will have more space to work for the next steps




Step 4: Cut the black thermo hose, without cutting the strap behind; you can then see the handle extremity




Step 5: Cut the handle strap without arming the cable. Remove any part of the old strap




Step 6: Pass the cable inside the new hoses. The small hose may be be visible on the side where you can see the loop of the cable.



Step 7: Pass the cable with the new black hose inside the fabric part, taking care that the Velcro patch on the fabric is on the side of the cable loop.





Step 8: Pass the new short cable inside the loop of the other one



Step 9: Pass the two extremity of the new cable inside the slit on the metallic part of the handle. (The two extremities must pass on the same side)




Step 10: Push the hoses onto the metallic part until the metallic part is fully covered. You have to slide the small diameter then the bigger one.





Step 11: Close the handle by pushing the button.



Step 11: Push back the handle in its pocket through its hole. Then attach together the Velcro on the “fabric part” with the Velcro near the handle pocket.



Step 13: Check that the cable and the brass is still visible on the cylinder side.



Step 14: Close the zip containing the airbag. And the zip for the handle pocket



Step 15: Reconnect the cylinder with the cable

- Screw back the connector at the end of the cable (see step 1)
- Screw back the little brass cylinder (see step 1)
- Don't forget to close the zip of your cartridge pocket!



Your Backpack is now ready to be used!